

BS121N

Bateria Selada Chumbo-Ácido 12V 1.2Ah - Certificação VDS

Product overview

Sealed lead acid battery 12 V, 1.2 Ah with Fast-on 4.8 mm terminal type.



Details

- Maintenance free 12 VDC
- Lead-Calcium grid for extended life
- Wide operating temperature range
- Usable and rechangeable in any position
- Low self-discharge and long service life
- Leakproof construction
- High discharge rate capacity

BS121N

Bateria Selada Chumbo-Ácido 12V 1.2Ah - Certificação VDS

Technical specifications

Geral	
Product type	Pack de baterias, Pilha de NiCd, Bateria celadas de chumbo e ácido
Caraterísticas Elétr	icas
Tensão nominal	12 V
Capacidade nominal	1.2 Ah
Resistência interna aprox	75 mOhm
Carga / descarga	
Tensão máx. de carga	13.8 VDC at +20°Cgsgdf
Corrente máx. de carga	0.36 A
Corrente máx. descarga	6 A
Físico	
Dimensões físicas	97 x 43 x 53 mm
	97 x 43 x 53 in.
Peso líquido	0.596 kg
Peso do envio	0.596 kg
Material	Metal
Tipo terminal	Fast-on 4.8 mm
Ambiental	
Retardante ao fogo	Não
Temperatura de operação	0 to +40°C
Temperatura de armazenamento	-15 to +50°C
Regulatory	
Conformidade	CE, RoHS 2, WEEE
Certificação	VdS



Como empresa de inovação, a Carrier Fire & Security reserva o direito de alterar as especificações do produto sem aviso prévio. Para obter informações sobre as especificações mais recentes do produto, visite pt.firesecurityproducts.com online ou contate o departamento comercial.