Date of Issue – 8ᵗʰ June 2018

EU DECLARATION OF CONFORMITY

1. Object of the Declaration of Conformity:

   Product Family: Manual Call Points

Part Number	Product Description
SA5900-908**	Intelligent Manual Call Point with Short Circuit Isolator - Red
SA5900-903**	Intelligent Manual Call Point with Short Circuit Isolator - White
SA5900-904**	Intelligent Manual Call Point with Short Circuit Isolator - Yellow
SA5900-905**	Intelligent Manual Call Point with Short Circuit Isolator - Blue
SA5900-906**	Intelligent Manual Call Point with Short Circuit Isolator - Green
SA5900-907**	Intelligent Manual Call Point with Short Circuit Isolator - Orange
SA5900-928	Intelligent Marine Manual Call Point with Short Circuit Isolator - Red
SA5900-948	Intelligent Marine Manual Call Pint (SIL Approved) with Short Circuit Isolator - Red
SA5900-011	Dual Switch Manual Call Point - Red
58200-950	Intelligent Waterproof Manual Call Point - Red
58200-951	Intelligent Waterproof Manual Call Point with Isolator - Red
58200-953	Intelligent Waterproof Manual Call Point with Isolator - Yellow
58200-975	Marine Intelligent Waterproof Manual Call Point - Red
58200-976	Marine Intelligent Waterproof Manual Call Point with Isolator - Red
55200-940	Intelligent Waterproof Manual Call Point I.S. - Red
55100-940*	Intelligent I.S. Manual Call Point – Red
55100-942*	Intelligent I.S. Manual Call Point - Yellow
55100-944*	Intelligent I.S. Manual Call Point – Blue
55200-003	Waterproof Manual Call Point – Conventional - Red
55200-004	Manual Call Point – Waterproof – Yellow – Conventional
55200-021	Type A Indoor Manual Call Point - Conventional Marine - Red
55200-022	Marine Waterproof Manual Call Point - Conventional Marine Waterproof - Red

55100-905*	Manual Call Point - Red
55100-908*	Manual Call Point with Isolator - Red
58100-905*	Manual Call Point with Isolator - Red
58100-908*	Manual Call Point with Isolator - Red
58100-910*	Manual Call Point - Red
58100-926*	Manual Call Point – White
58100-927*	Manual Call Point – Yellow
58100-928*	Manual Call Point – Blue
58100-929*	Manual Call Point – Green
58100-930*	Manual Call Point – Orange
58100-970*	Marine Manual Call Point - Red
58100-971*	Marine Manual Call Point with Isolator - Red
58100-950*	Waterproof Manual Call Point - Red
58100-951*	Waterproof Manual Call Point with Isolator - Red
58100-953*	Waterproof Manual Call Point – Yellow – With Isolator
58100-975*	Marine Waterproof Manual Call Point - Red
58100-976*	Marine Waterproof Manual Call Point with Isolator - Red
55400-894	AlarmSense Indoor Manual Call Point - Red
55100-894*	AlarmSense Indoor Manual Call Point - Red
58200-970**	Intelligent Manual Call Point - Red
58200-971**	Intelligent Manual Call Point with Short Circuit Isolator - Red

2. These products are manufactured at the premises of Apollo Fire Detectors Limited, 36 Brookside Road, Havant, Hampshire, England PO9 1JR/* KAC Alarm Company Limited, KAC House, Thornhill Road, North Moons Moat, Redditch, B98 9ND, UK/**Approved for manufacture at both Apollo Fire Detectors Limited, 36 Brookside Road, Havant, Hampshire, England PO9 1JR or Apollo (Beijing) Fire Products Co, Ltd, Block A5 Jinghai Industrial Park, No.156 Jinghai Fourth Road Beijing Economic-Technological Development Area, Beijing, China, 100176

3. This declaration is issued under the sole responsibility of the manufacturer/distributor.

4. The object of the declaration described above is in conformity with the relevant Union harmonization legislation:

    2014/30/EU   EMC Directive
    2011/65/EU   Restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

5. References to the relevant harmonized standards used or references to the specifications in relation to which conformity is declared:

BS EN 61000-6-3: 2007+A1: 2011	Electromagnetic compatibility (EMC). Generic standards. Emission standard for residential, commercial and light-industrial environments
BS EN 50130-4:2011+A1: 2014	Alarm systems. Electromagnetic compatibility. Product family standard: Immunity requirements for components of fire, intruder, hold up, CCTV, access control and social alarm systems

6. References to the applicable test reports:

TE300683, LSR 3720, TR4218, TR4217, TR4200, TR4203, 100975009, 100975009LHD-002a, TE237126, TE277395, TE222766, TE234979, P100331-1001, NC12329-D4

This declaration is made for and on behalf of Apollo Fire Detectors by the Technical Director, Mr. Karl Westhead, who has been designated as the responsible person for the purpose of the Regulations.

Signature ....Mr. Karl Westhead – Technical Director