

S30-2MLC

SFP-Port Gigabit Mini GBIC Transceiver Module (850nm) - 220m / 550m - MM

Overview

The UTC Fire & Security transceiver module is specifically designed to accommodate high-performance optical fiber. Compliant with the SFP Multisource Agreement (MSA), these transceiver modules feature hotplug capability for easy installation without interrupting host equipment operating online. The SFP Mini GBIC transceiver can install into UTC Fire & Security switch products with 100Base-FX or 1000Base-SX/LX SFP interface.



Details


- SFP multi-source agreement compliant
- Data rate 1.25Gbps
- Max 220m distance based on 62.5 / 125 (OM1) fiber
- Max 550m distance based on 50 / 125 (OM2) fiber
- Class 1 laser safety standard IEC 60825 compliant
- LC duplex receptacle
- Low power dissipation
- Plug-and-play capability for easy installation
- Hot Pluggable
- 0°C to +50°C operation temperature
- TTL signal detect indicator
- Single power supply 3.3V
- Comply with the IEEE 802.3ab

S30-2MLC

SFP-Port Gigabit Mini GBIC Transceiver Module (850nm) - 220m / 550m - MM

Technical specifications

General	
Category	SFP
Port type	Multi Mode
No. of fibers	2
Port speed	Gigabit
Wavelength	850 nm
Maximum distance	550 m
Connector	LC
Max. distance	220 / 550m
TX / RX wavelenght	850nm / 850nm
Data rate	1.25Gbps
PHY type	1000Base-SX
Reliability (MBTF)	>50,000 hrs @ 25° C
Electrical	
Operating voltage	3.3 VDC
AS/NZS CISPR 22	2006
Physical	
Physical dimensions	59 x 15 x 12.4 mm (W x D x H)
	2.20 x 0.59 x 0.49 in. (W x D x H)
Net weight	18 g
	0.6 oz
Environmental	
Operating temperature	0 to +50°C
Storage temperature	-40 to 85°C
Relative humidity	5 to 95% noncondensing
Regulatory	
	IEEE 802.3ab Fast Ethernet Standard
	Class 1 laser product complies with EN 60825-1
Transmitter Electro	p-Optical Interface
EMI	EN 55022 CLASS A:2006+A1 : 2007 /
	EN61000-3-2:2006 / EN61000-3-3:
	1995+A1:2001+A2:2005
Optical Output Power	Min. : -9.5dBm, Type : - , Max. : -4dBm
Power Budget	7.5
Receiver	-17dBm





As a company of innovation, Carrier Fire & Security reserves the right to change product specifications without notice. For the latest product specifications, visit firesecurityproducts.com online or contact your sales representative.